

All students enrolling in any district school shall provide the building principal with proof of immunization of certain diseases or furnish documents to satisfy statutory requirements. Booster shots required by the Secretary of the Department of Health and Environment are also required.

A copy of this policy and the applicable state law shall be distributed to students, prospective students or their parents on or before May 15th of each school year. The superintendent shall issue a news release each August explaining the required inoculations and booster shots. Parents may delegate in writing their authority to consent to immunizations. If the parent is not reasonably available, and the authority to consent has not been denied as provided in law, individuals other than the parent may consent to the immunizations as provided for in current law.

Students who fail to provide the documentation required by law may be excluded from school by the superintendent until statutory requirements are satisfied. Notice of exclusion shall be given to the parents/guardians as prescribed by law. Students who are not immunized against a particular disease(es) may be excluded from school during any outbreak.

Each principal shall forward evidence of compliance with the inoculation law to other schools or school districts when requested by the school or by the student's parents/guardians.

Approved: KASB Recommendation-7/96; 9/97

Immunization Requirements for the 2025 - 2026 School Year

K.A.R. 28-1-20 defines immunizations required for any individual who attends school or a childcare program operated by a school. Below are the requirements for the indicated school year. Please carefully review the requirements. The usual number of doses required are listed; however there are exceptional circumstances that could alter the number of doses a child needs. If you have questions about your child's immunization status, contact your child's primary care provider or local health department.

Proof of receiving the required immunizations must be provided to the school prior to the student attending the first day of school.



Early Childhood Program Operated by a School Ages 4 Years and Under

Vaccine	Requirement
DTaP/DT (diphtheria, tetanus, pertussis)	4 doses
IPV (polio)	3 doses
MMR (measles, mumps, rubella)	1 dose
Varicella (chickenpox)	1 dose*
Hepatitis A	2 doses
Hepatitis B	3 doses
Hib (haemophilus influenza type B)	3-4 doses**
PCV (pneumococcal conjugate)	4 doses**

KDG - Grade 6

Vaccine	Requirement
DTaP/DT (diphtheria, tetanus, pertussis)	5 doses
IPV (polio)	4 doses***
MMR (measles, mumps, rubella)	2 doses
Varicella (chickenpox)	2 doses*
Hepatitis A	2 doses
Hepatitis B	3 doses

Grade 7 - 10

Vaccine	Requirement
Tdap (tetanus, diphtheria, pertussis)	1 dose~
IPV (polio)	4 doses***
MMR (measles, mumps, rubella)	2 doses
Varicella (chickenpox)	2 doses*
Hepatitis A	2 doses
Hepatitis B	3 doses
Meningococcal (MenACWY)	1 dose

Grades 11 & 12

Vaccine	Requirement
Tdap (tetanus, diphtheria, pertussis)	1 dose~
IPV (polio)	4 doses***
MMR (measles, mumps, rubella)	2 doses
Varicella (chickenpox)	2 doses*
Hepatitis A	2 doses
Hepatitis B	3 doses
Meningococcal (MenACWY)	1-2 doses <i>See below:</i>

Meningococcal (MenACWY) Vaccine:

Two doses are required for 11th and 12th grade students.
The 1st dose is due at entry to 7th grade at 11-12 years of age.
The 2nd dose is due at entry to 11th grade at 16-18 years of age.
Any 11th graders who are not yet 16 years old, should wait until their 16th birthday to receive the dose. *Those 16-18 year olds with no previous MenACWY vaccine, only one dose required.*

Notes

* Varicella (chickenpox) vaccine is not required if child has had disease and disease is documented by physician signature. Without a physician signature, vaccine is still required even if you believe your child has had chickenpox disease.

** Total doses needed depend on vaccine type and child's age when doses were administered.

*** Three doses are acceptable if the 3rd dose was given after 4 years of age, and there are at least 6 months between the second and third doses.

~ All students in grades 7-12 must have one dose of Tdap regardless of the interval since the last dose of DTaP or Td.

Additional ACIP RECOMMENDED Vaccines Not Required for School Entry

HPV (Human Papillomavirus) Vaccine:

2 doses recommended at age 11 years *See below:*
2 doses needed if series is started at 11-14 years
3 doses needed if series is started at 15 years or older

Influenza (Flu) Vaccine and COVID-19 Vaccine:

Annual vaccine recommended for everyone 6 months of age and older

REQUISITOS DE VACUNACION PARA EL AÑO ESCOLAR 2025-2026

K.A.R. 28-1-20 define las vacunas requeridas para cualquier persona que asista a la escuela o a un Programa de Cuidado Infantil operado por una escuela. A continuación se detallan los requisitos para el año escolar indicado. Por favor revise cuidadosamente los requisitos. El número habitual de dosis se encuentran enlistados; sin embargo existen circunstancias excepcionales que podrían alterar el número de dosis que necesita un niño. Si tiene preguntas sobre la vacunación de su hijo comuníquese con el proveedor de atención médica primaria de su hijo o con el departamento de salud local.

Se debe proporcionar a la escuela prueba de haber recibido las vacunas requeridas antes de que el estudiante asista al primer día de clases.



Programa de cuidado infantil

operado por una escuela.

Edades de 4 años y menos.

Vacuna	Requisito
DTaP/DT (difteria, Tétanos, tos ferina)	4 dosis
IPV (polio)	3 dosis
MMR (paperas, sarampion, Rubeola)	1 dosis
Varicella (Varicela)	1 dosis*
Hepatitis A	2 dosis
Hepatitis B	3 dosis
Hib (influenza haemophilus tipo B)	3 - 4 dosis**
Prevna (neumococico conjugado)	4 dosis**

KDG - Grado 6

Vacuna	Requisito
DTaP/DT (difteria, tétanos, tos ferina)	5 dosis
IPV (polio)	4 dosis***
MMR (paperas sarampión Rubéola)	2 dosis
Varicella (varicela)	2 dosis*
Hepatitis A	2 dosis
Hepatitis B	3 dosis

Grado 7 - 10

Vacuna	Requisito
Tdap (tétanos, difteria, tos ferina)	1 dosis~
IPV (polio)	4 dosis***
MMR (paperas sarampión Rubéola)	2 dosis
Varicella (varicela)	2 dosis*
Hepatitis A	2 dosis
Hepatitis B	3 dosis
Meningococo (MenACWY)	1 dosis

Grados 11 & 12

Vacuna	Requisito
Tdap (tétanos, difteria, tos ferina)	1 dosis~
IPV (polio)	4 dosis***
MMR (paperas sarampión Rubéola)	2 dosis
Varicella (varicela)	2 dosis*
Hepatitis A	2 dosis
Hepatitis B	3 dosis
Meningococo (MenACWY)	1-2 dosis Vea abajo:

Vacuna Meningococo (MenACWY):

Se requieren dos dosis para los estudiantes del grado 11 y 12.

Se requiere una dosis antes de ingresar al 7° grado a la edad de 11-12 años

La segunda dosis se requiere al ingresar al 11° grado a la edad de 16-18 años. Cualquier estudiante de 11° grado que no tenga los 16 años cumplidos deberá esperar hasta que cumpla los 16 años de edad.

- Aquellos estudiantes de 16 a 18 años que nunca han recibido una dosis previa de MenACWY, solo se requiere una dosis para asistir a la escuela y la serie se considera completa.

Notas

* No se requiere la vacuna contra la varicela si el niño ha tenido la enfermedad **y** la enfermedad está documentada con la firma del médico. Sin la firma de un médico, la vacuna sigue siendo obligatoria incluso si cree que su hijo ha tenido varicela.

** Las dosis totales necesarias dependen del tipo de vacuna y de la edad del niño cuando se administraron las dosis.

*** Tres dosis son aceptables si la tercera dosis se administró después de los 4 años de edad y transcurren al menos 6 meses entre la segunda y la tercera dosis.

~ Todos los estudiantes en los grados 7-12 deben recibir una dosis de Tdap independientemente del intervalo desde la última dosis de DTaP o Td.

Vacunas adicionales RECOMENDADAS por el ACIP

No son requeridas para ingresar a la escuela

Vacuna contra el VPH (virus del papiloma humano):

2 dosis recomendadas a la edad de 11 años, ver a continuación:

2 dosis necesarias si la serie comenzó desde los 11-14 años

3 dosis necesarias si la serie comenzó desde los 15 años y más

Vacuna contra la influenza (gripe) y COVID-19:

Vacuna anual recomendada para todos desde los 6 meses de edad y más.

Proporcionado por el Departamento de Salud del Condado de Jefferson.